

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

| | |
|-----------------|----------------------------|
| Product form | : Mixture |
| Product name | : Cashmere Woods #EU48645F |
| UFI | : DDQA-54SC-0003-XAT9 |
| Product code | : EU48645F |
| Type of product | : Perfumes, fragrances |
| Product group | : Trade product |

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

| | |
|----------------------------------|---|
| Industrial/Professional use spec | : For professional use only Industrial |
| Use of the substance/mixture | : Perfumes, fragrances |
| Function or use category | : Odour agents |

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

UAB MANFIRA
Eišiškių pl. 127, LT-02184 Vilnius Lithuania
Tel.: +370 60488141
info@craftshop.lt - www.craftshop.lt

1.4. Emergency telephone number

Emergency number : +370 60488141

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

| | |
|---|------|
| Acute toxicity (oral), Category 4 | H302 |
| Skin sensitisation, Category 1 | H317 |
| Hazardous to the aquatic environment — Chronic Hazard, Category 2 | H411 |
| Full text of H-statements: see section 16 | |

Adverse physicochemical, human health and environmental effects

Harmful if swallowed. May cause an allergic skin reaction. Toxic to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07

GHS09

Signal word (CLP) :

Warning

Contains :

Benzyl benzoate; Cyclamal; Hexyl cinnamic aldehyde; Linalool; d-Limonene; Floralozone; Vertenex; Linalyl acetate; Coumarin crystals; Hexyl salicylate; Bergamot oil

Cashmere Woods #EU48645F

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| | |
|--------------------------------|--|
| Hazard statements (CLP) | : H302 - Harmful if swallowed. H317 - May cause an allergic skin reaction. H411 - Toxic to aquatic life with long lasting effects. |
| Precautionary statements (CLP) | : P270 - Do not eat, drink or smoke when using this product. P272 - Contaminated work clothing should not be allowed out of the workplace. P273 - Avoid release to the environment. P301+P312 - IF SWALLOWED: Call a POISON CENTRE or doctor if you feel unwell. P330 - Rinse mouth. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. |

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|----------------------------|---|----------------|---|
| Benzyl benzoate | CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371-33 | 31.025 – 62.05 | Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411 |
| Hexamethylindanopyran | CAS-No.: 1222-05-5 EC-No.: 214-946-9 EC Index-No.: 603-212-00-7 REACH-no: 01-2119488227-29 | 1.85 – 3.7 | Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |
| Veltol plus crystals | CAS-No.: 4940-11-8 EC-No.: 225-582-5 | 1.6 – 3.2 | Acute Tox. 4 (Oral), H302 |
| ACETYL HEXAMETHYL TETRALIN | CAS-No.: 21145-77-7 EC-No.: 244-240-6 | 1.2 – 2.4 | Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |
| Patchouli oil | CAS-No.: 8014-09-3 EC Index-No.: 616-944-7 | 1.1 – 2.2 | Asp. Tox. 1, H304 Aquatic Chronic 2, H411 |
| Cyclamal | CAS-No.: 103-95-7 EC-No.: 203-161-7 REACH-no: 01-2119970582-32 | 1.05 – 2.1 | Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 2, H411 |
| Hexyl cinnamic aldehyde | CAS-No.: 101-86-0 EC-No.: 202-983-3 REACH-no: 01-2119533092-50 | 0.975 – 1.95 | Skin Sens. 1, H317 Aquatic Chronic 2, H411 |
| beta-Ionone | CAS-No.: 14901-07-6 EC-No.: 238-969-9 | 0.8 – 1.6 | Aquatic Chronic 2, H411 |
| Linalool | CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016-42 | 0.675 – 1.35 | Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317 |

Cashmere Woods #EU48645F

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|--------------------------|--|--------------|--|
| Ambercore | CAS-No.: 139504-68-0 EC-No.: 412-300-2 EC Index-No.: 603-154-00-2 REACH-no: 01-0000015959-52 | 0.6 – 1.2 | Aquatic Chronic 2, H411 |
| d-Limonene | CAS-No.: 5989-27-5 EC-No.: 227-813-5 EC Index-No.: 601-029-00-7;601-096-00-2 REACH-no: 01-2119493353-35 | 0.525 – 1.05 | Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |
| Floralozone | CAS-No.: 67634-15-5 EC-No.: 266-819-2 REACH-no: 01-2120758796-34 | 0.375 – 0.75 | Aquatic Acute 1, H400 Aquatic Chronic 2, H411 Skin Irrit. 2, H315 Skin Sens. 1B, H317 |
| Vertenex | CAS-No.: 32210-23-4 EC-No.: 250-954-9 REACH-no: 01-2119976286-24 | 0.3 – 0.6 | Skin Sens. 1B, H317 |
| Linalyl acetate | CAS-No.: 115-95-7 EC-No.: 204-116-4 REACH-no: 01-2119454789-19 | 0.3 – 0.6 | Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 |
| Coumarin crystals | CAS-No.: 91-64-5 EC-No.: 202-086-7 REACH-no: 01-2119943756-26 | 0.25 – 0.5 | Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Skin Sens. 1, H317 Aquatic Chronic 2, H411 |
| cis-3-Hexenyl salicylate | CAS-No.: 65405-77-8 EC-No.: 265-745-8 | 0.2 – 0.4 | Aquatic Acute 1, H400 Aquatic Chronic 2, H411 |
| Hexyl salicylate | CAS-No.: 6259-76-3 EC-No.: 228-408-6 | 0.2 – 0.4 | Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |
| Bergamot oil | CAS-No.: 8007-75-8 EC-No.: 289-612-9;616-915-9 | 0.15 – 0.3 | Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 3, H412 |
| Cedarwood oil, Texas | CAS-No.: 68990-83-0 EC-No.: 294-461-7;614-888-8 | 0.1 – 0.2 | Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general

: Call a poison center or a doctor if you feel unwell.

First-aid measures after inhalation

: Remove person to fresh air and keep comfortable for breathing.

Cashmere Woods #EU48645F

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| | |
|---------------------------------------|--|
| First-aid measures after skin contact | : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention. |
| First-aid measures after eye contact | : Rinse eyes with water as a precaution. |
| First-aid measures after ingestion | : Rinse mouth. Call a poison center or a doctor if you feel unwell. |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|-------------------------------------|--|
| Symptoms/effects after skin contact | : May cause an allergic skin reaction. |
|-------------------------------------|--|

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

| | |
|------------------------------|--|
| Suitable extinguishing media | : Water spray. Dry powder. Foam. Carbon dioxide. |
|------------------------------|--|

5.2. Special hazards arising from the substance or mixture

| | |
|--|--------------------------------|
| Hazardous decomposition products in case of fire | : Toxic fumes may be released. |
|--|--------------------------------|

5.3. Advice for firefighters

| | |
|--------------------------------|--|
| Protection during firefighting | : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. |
|--------------------------------|--|

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

| | |
|----------------------|--|
| Emergency procedures | : Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. |
|----------------------|--|

6.1.2. For emergency responders

| | |
|----------------------|---|
| Protective equipment | : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". |
|----------------------|---|

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

| | |
|-------------------------|---|
| For containment | : Collect spillage. |
| Methods for cleaning up | : Take up liquid spill into absorbent material. |
| Other information | : Dispose of materials or solid residues at an authorized site. |

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

| | |
|-------------------------------|---|
| Precautions for safe handling | : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Wear personal protective equipment. |
| Hygiene measures | : Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. |

Cashmere Woods #EU48645F

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. National occupational exposure and biological limit values

| d-Limonene (5989-27-5) | |
|--|---|
| Finland - Occupational Exposure Limits | |
| HTP (OEL TWA) [1] | 140 mg/m ³ |
| HTP (OEL TWA) [2] | 25 ppm |
| HTP (OEL STEL) | 280 mg/m ³ |
| HTP (OEL STEL) [ppm] | 50 ppm |
| Germany - Occupational Exposure Limits (TRGS 900) | |
| AGW (OEL TWA) [1] | 28 mg/m ³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) |
| AGW (OEL TWA) [2] | 5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) |
| Chemical category | Skin notation, Skin sensitization |
| Slovenia - Occupational Exposure Limits | |
| OEL TWA | 28 mg/m ³ |
| OEL TWA [ppm] | 5 ppm |
| OEL STEL | 112 mg/m ³ |
| OEL STEL [ppm] | 20 ppm |
| Chemical category | Potential for cutaneous absorption |
| Spain - Occupational Exposure Limits | |
| VLA-ED (OEL TWA) [1] | 168 mg/m ³ |
| VLA-ED (OEL TWA) [2] | 30 ppm |
| Chemical category | Sensitizer, skin - potential for cutaneous absorption |
| Norway - Occupational Exposure Limits | |
| Grenseverdi (OEL TWA) [1] | 140 mg/m ³ |
| Grenseverdi (OEL TWA) [2] | 25 ppm |
| Korttidsverdi (OEL STEL) | 175 mg/m ³ (value calculated) |
| Korttidsverdi (OEL STEL) [ppm] | 37.5 ppm (value calculated) |
| Chemical category | Allergenic substance |
| Switzerland - Occupational Exposure Limits | |
| MAK (OEL TWA) [1] | 40 mg/m ³ |
| MAK (OEL TWA) [2] | 7 ppm |
| KZGW (OEL STEL) | 80 mg/m ³ |

Cashmere Woods #EU48645F

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| d-Limonene (5989-27-5) | |
|------------------------|------------|
| KZGW (OEL STEL) [ppm] | 14 ppm |
| Chemical category | Sensitizer |

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|-----------------|------------------------|
| Physical state | : Liquid |
| Colour | : light yellow. amber. |
| Odour | : characteristic. |
| Odour threshold | : No data available |
| pH | : No data available |

Cashmere Woods #EU48645F

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| | |
|---|-----------------------------------|
| Relative evaporation rate (butylacetate=1) | : No data available |
| Melting point | : Not applicable |
| Freezing point | : No data available |
| Boiling point | : No data available |
| Flash point | : > 93 °C (closed cup) ASTM D7094 |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Flammability (solid, gas) | : Not applicable |
| Vapour pressure | : No data available |
| Relative vapour density at 20 °C | : No data available |
| Relative density | : ≈ 1.08 |
| Solubility | : No data available |
| Partition coefficient n-octanol/water (Log Pow) | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| Explosive properties | : No data available |
| Oxidising properties | : No data available |
| Explosive limits | : No data available |

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

| | |
|-----------------------------|-------------------------|
| Acute toxicity (oral) | : Harmful if swallowed. |
| Acute toxicity (dermal) | : Not classified |
| Acute toxicity (inhalation) | : Not classified |

| Cashmere Woods #EU48645F | |
|----------------------------|--------------------------|
| ATE CLP (oral) | 734.791 mg/kg bodyweight |
| Benzyl benzoate (120-51-4) | |
| LD50 oral rat | 500 mg/kg |
| LD50 oral | 1500 mg/kg bodyweight |

Cashmere Woods #EU48645F

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Benzyl benzoate (120-51-4) | |
|--|-----------------------|
| LD50 dermal rabbit | 4000 mg/kg |
| LD50 dermal | 4000 mg/kg bodyweight |
| Hexamethylindanopyran (1222-05-5) | |
| LD50 oral rat | > 3250 mg/kg |
| LD50 dermal rabbit | > 3250 mg/kg |
| Veltol plus crystals (4940-11-8) | |
| LD50 oral rat | 1150 mg/kg |
| LD50 oral | 1200 mg/kg bodyweight |
| LD50 dermal rabbit | > 5000 mg/kg |
| ACETYL HEXAMETHYL TETRALIN (21145-77-7) | |
| LD50 oral rat | 570 mg/kg |
| LD50 oral | 1000 mg/kg bodyweight |
| LD50 dermal rabbit | > 5 g/kg |
| Patchouli oil (8014-09-3) | |
| LD50 oral rat | > 5 g/kg |
| Cyclamal (103-95-7) | |
| LD50 oral rat | 3810 mg/kg |
| LD50 oral | 3810 mg/kg bodyweight |
| LD50 dermal rat | > 5000 mg/kg |
| Hexyl cinnamic aldehyde (101-86-0) | |
| LD50 oral rat | 3100 mg/kg |
| LD50 oral | 3100 mg/kg bodyweight |
| LD50 dermal rabbit | > 3000 mg/kg |
| LC50 Inhalation - Rat | > 5 mg/l/4h |
| beta-Ionone (14901-07-6) | |
| LD50 oral rat | 4590 mg/kg |
| Linalool (78-70-6) | |
| LD50 oral | 2790 mg/kg bodyweight |
| Ambercore (139504-68-0) | |
| LD50 dermal rat | > 2000 mg/kg |
| d-Limonene (5989-27-5) | |
| LD50 oral rat | 4400 mg/kg |
| LD50 dermal rabbit | > 5 g/kg |
| Vertenex (32210-23-4) | |
| LD50 oral rat | 5 g/kg |
| LD50 oral | 3370 mg/kg bodyweight |
| LD50 dermal rabbit | > 5000 mg/kg |

Cashmere Woods #EU48645F

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Linalyl acetate (115-95-7) | |
|---|--|
| LD50 oral rat | 14550 mg/kg |
| LD50 dermal rabbit | > 5000 mg/kg |
| Coumarin crystals (91-64-5) | |
| LD50 oral rat | > 5000 mg/kg |
| LD50 oral | 500 mg/kg bodyweight |
| LD50 dermal rat | 293 mg/kg |
| cis-3-Hexenyl salicylate (65405-77-8) | |
| LD50 oral rat | 5 g/kg |
| LD50 oral | 2500 mg/kg bodyweight |
| LD50 dermal rabbit | > 2000 mg/kg |
| Hexyl salicylate (6259-76-3) | |
| LD50 oral rat | > 5 g/kg |
| LD50 dermal rabbit | > 5000 mg/kg |
| Bergamot oil (8007-75-8) | |
| LD50 oral rat | 11520 mg/kg |
| Skin corrosion/irritation | : Not classified |
| Serious eye damage/irritation | : Not classified |
| Respiratory or skin sensitisation | : May cause an allergic skin reaction. |
| Germ cell mutagenicity | : Not classified |
| Carcinogenicity | : Not classified |
| d-Limonene (5989-27-5) | |
| IARC group | 3 - Not classifiable |
| Coumarin crystals (91-64-5) | |
| IARC group | 3 - Not classifiable |
| Reproductive toxicity | : Not classified |
| STOT-single exposure | : Not classified |
| STOT-repeated exposure | : Not classified |
| Aspiration hazard | : Not classified |
| SECTION 12: Ecological information | |
| 12.1. Toxicity | |
| Ecology - general | : Toxic to aquatic life with long lasting effects. |
| Hazardous to the aquatic environment, short-term (acute) | : Not classified |
| Hazardous to the aquatic environment, long-term (chronic) | : Toxic to aquatic life with long lasting effects. |
| Benzyl benzoate (120-51-4) | |
| LC50 - Fish [1] | 2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static]) |
| NOEC (chronic) | 0.168 mg/l |
| Hexamethylindanopyran (1222-05-5) | |
| LC50 - Fish [1] | 0.452 mg/l Wolf, 1996d-27682 |

Cashmere Woods #EU48645F

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Hexamethylindanopyran (1222-05-5) | |
|------------------------------------|--|
| LC50 - Other aquatic organisms [1] | > 0.14 mg/l REACH DOSSIER Pimephales promelas |
| EC50 - Crustacea [2] | 260 µg/l REACH Dossier |
| EC50 - Other aquatic organisms [1] | 0.131 mg/l REACH Dossier |
| Veltol plus crystals (4940-11-8) | |
| LC50 - Fish [1] | > 85 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss) |
| Linalool (78-70-6) | |
| EC50 96h - Algae [1] | 88.3 mg/l (Species: Desmodemus subspicatus) |
| d-Limonene (5989-27-5) | |
| LC50 - Fish [1] | 0.619 – 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through]) |
| LC50 - Fish [2] | 35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss) |
| Vertenex (32210-23-4) | |
| LC50 - Fish [1] | 8.6 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [semi-static]) |
| Linalyl acetate (115-95-7) | |
| LC50 - Fish [1] | 11 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through]) |

12.2. Persistence and degradability

| Benzyl benzoate (120-51-4) | |
|-----------------------------------|---|
| Persistence and degradability | May cause long-term adverse effects in the environment. |
| Cedarwood oil, Texas (68990-83-0) | |
| Persistence and degradability | Not established. |

12.3. Bioaccumulative potential

| Benzyl benzoate (120-51-4) | |
|---|------------------|
| Partition coefficient n-octanol/water (Log Pow) | 4 |
| Bioaccumulative potential | Not established. |
| Cedarwood oil, Texas (68990-83-0) | |
| Bioaccumulative potential | Not established. |

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Cashmere Woods #EU48645F

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

14.1. UN number

| | |
|---------------|-----------------|
| UN-No. (ADR) | : UN 3082 |
| UN-No. (IMDG) | : UN 3082 |
| UN-No. (IATA) | : UN 3082 |
| UN-No. (ADN) | : Not regulated |
| UN-No. (RID) | : Not regulated |


14.2. UN proper shipping name

| | |
|---------------------------------------|---|
| Proper Shipping Name (ADR) | : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. |
| Proper Shipping Name (IMDG) | : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. |
| Proper Shipping Name (IATA) | : Environmentally hazardous substance, liquid, n.o.s. |
| Proper Shipping Name (ADN) | : Not regulated |
| Proper Shipping Name (RID) | : Not regulated |
| Transport document description (ADR) | : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate), 9, III, (-) |
| Transport document description (IMDG) | : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate), 9, III, MARINE POLLUTANT |
| Transport document description (IATA) | : UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Benzyl benzoate), 9, III |

14.3. Transport hazard class(es)


ADR

| | |
|----------------------------------|-----|
| Transport hazard class(es) (ADR) | : 9 |
| Danger labels (ADR) | : 9 |




IMDG

| | |
|-----------------------------------|-----|
| Transport hazard class(es) (IMDG) | : 9 |
| Danger labels (IMDG) | : 9 |



IATA

| | |
|-----------------------------------|-----|
| Transport hazard class(es) (IATA) | : 9 |
| Danger labels (IATA) | : 9 |



ADN

| | |
|----------------------------------|-----------------|
| Transport hazard class(es) (ADN) | : Not regulated |
|----------------------------------|-----------------|

RID

| | |
|----------------------------------|-----------------|
| Transport hazard class(es) (RID) | : Not regulated |
|----------------------------------|-----------------|

Cashmere Woods #EU48645F

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.4. Packing group

| | |
|----------------------|-----------------|
| Packing group (ADR) | : III |
| Packing group (IMDG) | : III |
| Packing group (IATA) | : III |
| Packing group (ADN) | : Not regulated |
| Packing group (RID) | : Not regulated |


14.5. Environmental hazards

| | |
|-------------------------------|--|
| Dangerous for the environment | : Yes |
| Marine pollutant | : Yes |
| Other information | : No supplementary information available |

14.6. Special precautions for user

Overland transport

| | |
|---|---------------------------|
| Classification code (ADR) | : M6 |
| Special provisions (ADR) | : 274, 335, 375, 601 |
| Limited quantities (ADR) | : 5I |
| Excepted quantities (ADR) | : E1 |
| Packing instructions (ADR) | : P001, IBC03, LP01, R001 |
| Special packing provisions (ADR) | : PP1 |
| Mixed packing provisions (ADR) | : MP19 |
| Portable tank and bulk container instructions (ADR) | : T4 |
| Portable tank and bulk container special provisions (ADR) | : TP1, TP29 |
| Tank code (ADR) | : LGBV |
| Vehicle for tank carriage | : AT |
| Transport category (ADR) | : 3 |
| Special provisions for carriage - Packages (ADR) | : V12 |
| Special provisions for carriage - Loading, unloading and handling (ADR) | : CV13 |
| Hazard identification number (Kemler No.) | : 90 |
| Orange plates | : |



| | |
|-------------------------------|-------|
| Tunnel restriction code (ADR) | : - |
| EAC code | : •3Z |

Transport by sea

| | |
|-----------------------------------|-----------------|
| Special provisions (IMDG) | : 274, 335, 969 |
| Limited quantities (IMDG) | : 5 L |
| Excepted quantities (IMDG) | : E1 |
| Packing instructions (IMDG) | : LP01, P001 |
| Special packing provisions (IMDG) | : PP1 |
| IBC packing instructions (IMDG) | : IBC03 |
| Tank instructions (IMDG) | : T4 |
| Tank special provisions (IMDG) | : TP1, TP29 |
| EmS-No. (Fire) | : F-A |
| EmS-No. (Spillage) | : S-F |
| Stowage category (IMDG) | : A |

Air transport

| | |
|--|-------------------------|
| PCA Excepted quantities (IATA) | : E1 |
| PCA Limited quantities (IATA) | : Y964 |
| PCA limited quantity max net quantity (IATA) | : 30kgG |
| PCA packing instructions (IATA) | : 964 |
| PCA max net quantity (IATA) | : 450L |
| CAO packing instructions (IATA) | : 964 |
| CAO max net quantity (IATA) | : 450L |
| Special provisions (IATA) | : A97, A158, A197, A215 |

Cashmere Woods #EU48645F

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

ERG code (IATA) : 9L

Inland waterway transport

Not regulated

Rail transport

Not regulated

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

| EU restriction list (REACH Annex XVII) | |
|--|--|
| Reference code | Applicable on |
| 3(a) | d-Limonene ; Bergamot oil |
| 3(b) | Cashmere Woods #EU48645F ; Benzyl benzoate ; Patchouli oil ; Cyclamal ; Hexyl cinnamic aldehyde ; Linalool ; d-Limonene ; Floralozone ; Vertenex ; Linalyl acetate ; Hexyl salicylate ; Bergamot oil ; Cedarwood oil, Texas |
| 3(c) | Cashmere Woods #EU48645F ; Benzyl benzoate ; Hexamethylindanopyran ; Patchouli oil ; Cyclamal ; Hexyl cinnamic aldehyde ; beta-Ionone ; Ambercore ; d-Limonene ; Floralozone ; cis-3-Hexenyl salicylate ; Hexyl salicylate ; Bergamot oil ; Cedarwood oil, Texas |
| 40. | d-Limonene ; Bergamot oil |

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

Germany

Employment restrictions : Observe restrictions according Act on the Protection of Working Mothers (MuSchG)
Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG)

Water hazard class (WGK) : WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1)

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

SZW-lijst van kankerverwekkende stoffen : Floralozone, cis-3-Hexenyl salicylate, Bergamot oil, Cedarwood oil, Texas are listed

SZW-lijst van mutagene stoffen : Floralozone, cis-3-Hexenyl salicylate, Bergamot oil are listed

SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed

SZW-lijst van reprotoxische stoffen – Vruchtbaarheid : None of the components are listed

SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product
Pregnant/breastfeeding women working with the product must not be in direct contact with the product

Switzerland

Storage class (LK) : LK 10/12 - Liquids

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

Cashmere Woods #EU48645F

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 16: Other information

| Abbreviations and acronyms | |
|----------------------------|---|
| ADN | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
| ADR | European Agreement concerning the International Carriage of Dangerous Goods by Road |
| ATE | Acute Toxicity Estimate |
| BCF | Bioconcentration factor |
| BLV | Biological limit value |
| BOD | Biochemical oxygen demand (BOD) |
| COD | Chemical oxygen demand (COD) |
| DMEL | Derived Minimal Effect level |
| DNEL | Derived-No Effect Level |
| EC-No. | European Community number |
| EC50 | Median effective concentration |
| EN | European Standard |
| IARC | International Agency for Research on Cancer |
| IATA | International Air Transport Association |
| IMDG | International Maritime Dangerous Goods |
| LC50 | Median lethal concentration |
| LD50 | Median lethal dose |
| LOAEL | Lowest Observed Adverse Effect Level |
| NOAEC | No-Observed Adverse Effect Concentration |
| NOAEL | No-Observed Adverse Effect Level |
| NOEC | No-Observed Effect Concentration |
| OECD | Organisation for Economic Co-operation and Development |
| OEL | Occupational Exposure Limit |
| PBT | Persistent Bioaccumulative Toxic |
| PNEC | Predicted No-Effect Concentration |
| RID | Regulations concerning the International Carriage of Dangerous Goods by Rail |
| SDS | Safety Data Sheet |
| STP | Sewage treatment plant |
| ThOD | Theoretical oxygen demand (ThOD) |
| TLM | Median Tolerance Limit |
| VOC | Volatile Organic Compounds |
| CAS-No. | Chemical Abstract Service number |
| N.O.S. | Not Otherwise Specified |
| vPvB | Very Persistent and Very Bioaccumulative |
| ED | Endocrine disrupting properties |

| Full text of H- and EUH-statements | |
|------------------------------------|-------------------------------------|
| Acute Tox. 3 (Dermal) | Acute toxicity (dermal), Category 3 |

Cashmere Woods #EU48645F

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Full text of H- and EUH-statements | |
|------------------------------------|---|
| Acute Tox. 3 (Inhalation) | Acute toxicity (inhal.), Category 3 |
| Acute Tox. 3 (Oral) | Acute toxicity (oral), Category 3 |
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 |
| Aquatic Acute 1 | Hazardous to the aquatic environment — Acute Hazard, Category 1 |
| Aquatic Chronic 1 | Hazardous to the aquatic environment — Chronic Hazard, Category 1 |
| Aquatic Chronic 2 | Hazardous to the aquatic environment — Chronic Hazard, Category 2 |
| Aquatic Chronic 3 | Hazardous to the aquatic environment — Chronic Hazard, Category 3 |
| Asp. Tox. 1 | Aspiration hazard, Category 1 |
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 |
| Flam. Liq. 3 | Flammable liquids, Category 3 |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 |
| Skin Sens. 1 | Skin sensitisation, Category 1 |
| Skin Sens. 1B | Skin sensitisation, category 1B |
| H226 | Flammable liquid and vapour. |
| H301 | Toxic if swallowed. |
| H302 | Harmful if swallowed. |
| H304 | May be fatal if swallowed and enters airways. |
| H311 | Toxic in contact with skin. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H319 | Causes serious eye irritation. |
| H331 | Toxic if inhaled. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H411 | Toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.